



<https://doi.org/10.59298/ROJESR/2025/4.2.1622>

Climate Resilience: Engineering Solutions for Coastal Communities

Ugwu Chinyere Nneoma, Ogenyi Fabian, Eze Hyginus Valentine, and Ugwu Okechukwu Paul-Chima

Department of Publication and Extension, Kampala International University, Uganda

ABSTRACT

Coastal communities worldwide face escalating threats from climate change, including sea-level rise, increased storm intensity, erosion, and socio-economic vulnerability. This paper examines the concept of climate resilience within coastal zones, focusing on the systems' capacity to adapt and sustain viability amid environmental, social, and economic stressors. It discusses key vulnerabilities, physical, ecological, and institutional, and evaluates both nature-based and hard engineering solutions for coastal protection. The paper emphasizes the need for integrated, localized adaptation strategies that combine advanced engineering, community engagement, and policy innovation. Real-world case studies illustrate the necessity for cross-sector collaboration, dynamic governance, and public education in crafting resilient coastal futures. By examining current models and identifying gaps in knowledge and infrastructure, the paper highlights a pathway toward equitable and sustainable climate adaptation for vulnerable coastal populations.

Keywords: Climate resilience, coastal communities, sea-level rise, storm surge, erosion, nature-based solutions, hard engineering, vulnerability assessment.

INTRODUCTION

The importance of resilience to changing environmental, economic, and social stresses has long been recognized, but has taken on new urgency in light of recent disasters and forecasted changes due to climate change. Currently, resilience is an emphatic focus for coastal communities facing multiple stressors, including sea-level rise, changes in intensity and frequency of storms, coastal erosion, and socio-economic shifts. The technical definition of resilience involves a system's capacity to adapt to change, namely to alter behavior such that effective viability is maintained; disaster-temporary or shift in trajectory is avoided. Adaptation is a broader term that encompasses all forms of change, from adjustment to relocation. For this discussion, the focus is on the technical definition of resilience and a definition more specific to coastal topics based upon it, though resilience also encompasses social factors and societal responses that are equally critical. The coastal zone is the area most affected by human population changes, coastal perils, and natural resource changes, warranting focused attention. Forces affecting the coast include, but are not limited to, extreme events, slow changes, and socio-economic changes. Vulnerability to coastal hazards depends upon the combination of the hazard, the impact that it has, and the sensitivity of the coast to that hazard and impact. Resilience requires both observations of coastal processes that allow assessment of hazard, impact, and vulnerability, and forecast capability that supports

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

options for adaptation strategies. There is great local variability in coastal response due to the distribution of hazards, vulnerability, and available adaptation strategies, thus, consideration of local behavior is essential. Coastal response to extreme events includes recovery, which involves returning to pre-event conditions, and resistance, which is the ability to not impact system performance [1, 2].

Understanding Coastal Vulnerabilities

As climate change progresses, one of the major concerns is whether coastal communities will continue to be resilient. Rising sea levels are predicted to inundate large swaths of coastal wetlands, whereby the areas submerged will be affected by erosion or increased inundation. Remaining wetlands will have increased flood depth and duration and would affect the coastal communities that depend on them for protection, resilience, and ecosystem services. Climate resilience includes the way coastal communities adapt to environmental, economic, and social stressors. The incremental response of a coastal community to a change in climate depends on both the attributes of the coastal community and the nature of the change. Coastal communities engage in a variety of approaches to prepare for climate change. The response of coastal communities to large changes in environmental stressors depends on their vulnerability. Vulnerability is typically a function of exposure to a hazard, sensitivity to the hazard, and capacity to manage the hazard and its effects. It is therefore a holistic concept and ideal for community-level assessments. Vulnerabilities of coastal communities to climate change include physical, social, economic, political, and institutional exposure. Coastal hazards include flooding, temperature increase, salinity, and sea-level rise. Locality, topography, and ecological processes threaten a coastal community's exposure. Sensitivity includes the functionality of the coastal community (e.g., community health); this may be affected if some members cannot adapt or relocate to changed conditions, and/or if valuable community assets or areas are affected by flooding. Do conditions and regional capacity for climate resilient solutions affect coastal communities' capacity to manage climate-related hazards? While a community can be exposed to flooding through changes in sea-level rise, increased extreme precipitation, river discharge, or reduced flow from a wetland or engineered water-retention structure, only by being affected by exposure would coastal resilience be impacted [3, 4].

Impact of Sea Level Rise

Sea level rise (SLR) poses long-term impacts inland from coastlines, threatening communities with extreme storm surges, floods, and other environmental stressors. Vulnerabilities, especially among people of color in New Orleans, worsen with rapid SLR, while ineffective policy responses hinder equitable solutions. After Hurricane Sandy hit New York City, it became clear that areas far from the coast, like the Upper East Side and South Bronx, also faced flooding despite their higher elevation. Flooding from upstream and structural failures raised questions about flood modeling and safety boundaries. Citywide flood security analysis often ignores essential locations, limiting preparedness and mitigation efforts. The connectivity between rivers and oceans creates dependencies in water movement, with flooding effects from storms and tides interconnected. The situation is exacerbated by incomplete topographical data and climate change, which increases uncertainty. Coastal flooding risks are expected to grow, with SLR scenarios indicating a wide range of vulnerabilities. Uncertainties in coastal storm surges and associated rainfall add to the complexity of intracoastal flooding and how it spreads inland. Existing flood policies fail to address the vulnerability of safety boundaries, relying on outdated SLR rates for infrastructure estimates. This approach delays necessary action rather than promoting it [5, 6].

Storm Surge and Flooding Risks

Worldwide, there are 23 megacities with populations of over 10 million people, 16 of which are in the coastal zone. The estimates indicate that by 2030, the world's coastal population will exceed 4 billion people. Sea-level rise and extreme weather events threaten coastal populations, ecosystems, and industry. Comprehensive data on elevations are crucial to accurate assessments of inundation probabilities associated with rising sea levels and storm surges. The most vulnerable communities are in developing countries that have limited resources to protect or recover from disasters. Within the near future, as many as 2 billion people worldwide could be in jeopardy, either facing annual coastal flooding or losing nearly all the land they now inhabit. Ocean observing systems provide environmental intelligence to various users, including emergency responders and coastal zone managers. Integrated observing systems consist of platforms, sensors, and technologies to transmit data. New sensor-based approaches to quantifying coastal flooding problems are offered by a program [7, 8].

Erosion and Habitat Loss

Weather, oceanographic, and biologic processes that occur at smaller scales can amplify land level motion on imagery resolution (< 100 m) using an improved focusing algorithm with hundreds of video cameras pointed obliquely overhead. Three-dimensional stick decorations can enhance viewing when styling eyepieces of stereo viewers, as local sharpness varies with grid assessment. Spectral analysis can enhance de-trended sampling efforts on imprecisely focused time-lapse imagery by correctly scaling band damping and phase-shift histograms through transformations to different focus implementations. None of the detection functions tested can mitigate or recreate resolution lost due to prior frame-decimation. Coastal communities face complex issues regarding climate resilience and adaptation. Certain areas will become uninhabitable due to flooding and erosion, while others will experience storm surges as sea levels rise and climate changes affect wave heights and flood periods. Global collaborations must engage academic, government, and industry colleagues with multi-agency investments and international partnerships. Local collaborations should also involve communities and policymakers. Resilience is the ability to adapt to environmental, economic, and social stressors while maintaining viability. Adaptation may include hardening defenses with levees and barriers. Hardy species may be mitigated or replaced to maintain their state at higher sea levels. Structures like marshes and reefs that filter wave energy into invasive sediments may alter these energies, influencing sediment availability and transport. In many instances, removing defenses or partial breaching may be the most effective means of adaptation for land use, defenses, and monitoring [9, 10].

Engineering Principles for Coastal Resilience

Coastal communities in New Jersey face significant challenges due to climate change and sea level rise. Key questions include the recovery duration after storms and the timelines for necessary adaptations. Recent studies project potential land loss and shift in habitats, ecosystem services, and safety related to elevation and land use, assisting communities in management efforts. However, determining effective engineering solutions to mitigate flooding and damage remains critical. Cost and return on investment for selected actions are essential considerations. Traditional hard structures often limit water access, and with a projected sea level rise of 2.2 to 5.8 feet by 2100, more innovative solutions are required. Addressing these complex questions often necessitates expert input from private engineering firms, consultants, and non-profits. While some issues are peripheral to community responsibilities, effective management of land use, building codes, and water management can benefit from expert insights. Accessibility, affordability, and proven effectiveness are crucial for these approaches. Many consulting groups in New Jersey are eager to help, but face financial constraints. Stakeholders express concerns about the high costs of scientific work, suggesting the need for better information and practical formats for local use. As New Jersey pursues coastal resilience, much effort is needed to tackle these challenges [11, 12].

Nature-Based Solutions

Nature-based solutions (NbS) leverage natural environments to tackle climate change effects, offering both environmental and social resilience while cutting costs compared to traditional infrastructure. NbS should complement existing infrastructure for optimal resilience. Current research aims to identify NbS that mitigate climate hazards in coastal areas, considering benefits for local communities. Natural features like wetlands and beaches absorb storm surge, high winds, and rainfall, while restoring natural topography can help manage floodwaters. Although NbS cannot fully resolve climate change challenges, they provide critical time for coastal communities to prepare for future extremes. Densely populated regions can also improve stormwater management and protect inland neighborhoods, often neglected in resilience efforts. Natural habitats like wetlands and marshes serve as substantial green infrastructure, enhancing flood protection and water quality. After identifying potential projects, feasibility assessments ensure they are viable and equitable. Specific feasibility studies will outline designs, costs, and implementation. It's essential to prioritize indigenous stakeholders who have rights to significant habitats and ensure they benefit from NbS projects in coastal waters. Once a project is deemed feasible, it should follow the ARM structure to secure funding [13, 14].

Hard Engineering Solutions

Coastal countries on the RIM can learn from hard engineering coastal protection systems implemented in Western Europe, Asia, and North America over the years. These systems typically include river dikes, sea

dikes, levees, seawalls, and protective forest areas. However, areas relying heavily on these hard measures often neglect essential water drainage mechanisms for storm surges and tidal flows, overlooking the importance of water pump/house operations and effective environmental management. Maintaining these infrastructures demands significant political, financial, and managerial resources, and this has led to insufficient attention to climate change and global warming issues. Hard engineering solutions are increasingly seen as one-dimensional, proving insufficient alone against poor wetland management and inadequate monitoring. These approaches assume flooding can be controlled purely through civil engineering, like flood walls and levees. Criticism of traditional hard infrastructure highlights high costs, social inequities, maintenance challenges, and adverse side effects. Recent mega-flood events have sparked concerns, suggesting that hard engineering should be approached cautiously and supplemented with diverse flood mitigation strategies. In the past decade, flood-resilient design models utilizing green and eco-engineering strategies have been developed to aid governments and local practitioners in creating holistic measures to protect communities while maximizing social, economic, and environmental benefits. Best practice examples not only inspire innovative designs but also offer frameworks for effective communication with policymakers, ensuring that scientific insights influence real-world ecologically resilient designs [15, 16].

Community Engagement and Education

Community engagement and education are integral components of climate resilience efforts for coastal communities. Engaging diverse stakeholders in resilience planning and implementation builds local support and knowledge for developing, funding, and executing adaptation actions. Climate resilience is challenging to communicate. Resilience discourse is often abstract and complex, making it difficult for people to relate climate resilience planning to their lives. When the links between action and outcome are unclear, human impulse is often to do nothing versus risk making a situation worse. Inundation and flooding risks can be difficult for communities to observe because water issues are dynamic, and infrastructure systems act as a buffer. Changes in land use and hydrology may take decades before people notice differences, and gossip can lead people to believe there is no problem. The communities dealing with losses are more deeply engaged in discussing acclimatization strategies, questioning if a dialogue between communities exists. Threat communication designed to convey urgency often scales as larger and more immediate catastrophes, prematurely inducing hopelessness and despair. Community engagement tactics must make the consequences of climate change tangible, so the walk from understanding to action isn't continuously derailed. Reality theater can be used to engage deliberation about flooding and other water issues. Engagement must not be purely an information transfer but allow dialogue and deliberation on community concerns and ideas for action, as well as provide information. Without contextualization, education about flooding or water problems is just propaganda from an elite and disconnected authority. Increasing access to easily understood risk maps reduces uncertainty and encourages knowledge sharing. Local champions build trust and affinity, allowing new conversations to happen and existing conversations to deepen. This engagement doesn't necessarily need architects and planners in the room, but it does need community leaders who care about sharing these topics with their residents. Efforts must be multigenerational to account for future change, uncertainty, and disbelief. Questioning is also an important part of learning, so rather than tell communities they must adapt, efforts can instead ask communities what type of coastal infrastructure they want and to show the potential upsides or downsides of different decisions [17, 18].

Policy and Governance Frameworks

Mitigation and adaptation will occur with the best scientific and engineering understanding, with the efficiency and effectiveness needed, where the appropriate and most successful methods, tools, and approaches will be applied. Where coastal communities cannot directly apply available models and tools to predict the effects of mitigation and adaptation options to enhance the resilience of natural and socio-economic systems, it will be demonstrated how they can quickly be modified or developed to suit specific requirements. Still, there are critical gaps in models, tools, and/or observation systems and methodologies for treating key issues. Expected outcomes include the demonstration of a small number of key multi-scale and multi-disciplinary "objective experiments" (Iterative Application and Assessment in Time/Space), where issues of coupling physical dynamics with built/natural resilience are examined. In this step, the emphasis is on identifying of addressing gaps. Knowledge transfer develops in parallel with the provision of tools and approaches because it cannot be undertaken as an isolated activity.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Sustainability is only achievable where the regional transdisciplinary networks are established that connect observing organizations and networks with modeling, management, and public response organizations. Key knowledge transfer methods include (i) immersive workshops where projects in progress are examined alongside best practice for transdisciplinary investment; (ii) co-production of relevant learning modules that embed knowledge into the education systems; and (iii) sustained leadership-industry-academia 'champion forums' that connect tsunami modeling, warning, and messaging organizations. Such processes must be dynamic and iterative, with processes evolving as networks grow, needs and capacity change with development, and new issues and priorities emerge. It must remain in focus that effective observation-answer tools are a clear requirement for early warning systems and to address conflicting priority risk models [19, 20].

Case Studies of Successful Resilience Projects

Coastal communities seeking to improve resilience should examine two important case studies on effective management strategies. Hampton Roads, Virginia, has notably tackled sea level rise through a regional intergovernmental resilience planning initiative. This initiative has focused on collaborative efforts within a southeastern Virginia watershed, addressing both flooding and erosion risks. With ongoing coastal flooding and shoreline erosion, citizen and governmental actions have prioritized resilience efforts. The complexity arises from the interaction of passive water systems, societal actors, and multiple jurisdictional boundaries. There is no other regional cooperation that matches this plan's content. Combining engineering and nature-based solutions, while facing increasing risks from human-induced subsidence, highlights the need for cross-jurisdictional collaboration. Networking and regional cooperation are essential to understanding infrastructural interdependencies and collaborative approaches. Exploring complex socio-technical systems is a critical path forward. The challenge of symmetry breaking between managed and unmanaged systems is vital to unlocking collective opportunities for future scenarios and data. "Rebooting" harmed systems may lead to unintended outcomes, necessitating innovative logic and institutional rethinking. Institutional boundaries often act as "intermediaries," and entities in hybrid governance are pressured to adapt to socio-environmental changes, which can occur rapidly or at unexpected rates, potentially rendering traditional innovation paths ineffective [21, 22].

Future Trends in Coastal Engineering

For coastal communities to achieve climate resilience, they must be understood as interconnected systems. Investing in infrastructure should emphasize cooperative systems and shared resources. Often, varying types of data collected by government entities lead to confusion; thus, a cohesive coastal data platform linked to community priorities is essential. Coastal data systems must go beyond real-time monitoring and synthesize information into useful products for users. Uncertainty in coastal science and modeling needs better communication in decision-making and planning. While there is a focus on physical designs, community-level discussions on risk ownership and equity are crucial, especially regarding resilience sharing and social concerns. Accessible platforms should help communities articulate their resilience needs and priorities, enabling engagement on risk perceptions and stakeholder preferences; they should also inventory engineering options and connect decision-makers to experts for pilot projects. More investment in metrics related to climate resilience and coastal green infrastructure is necessary to eliminate the perception of these approaches as secondary. Funding agencies could support pilot projects that incorporate decision-making perspectives and local stakeholder involvement in analyzing successes and failures. An integrated approach to resilience is vital, leveraging the interplay among green-gray-blue infrastructure and emphasizing coastal system relationships. This requires commitment and reorganization from both academia and funding agencies [23, 24].

CONCLUSION

As climate change continues to reshape the dynamics of coastal environments, the resilience of coastal communities becomes a critical priority. Successful adaptation hinges not only on the robustness of physical infrastructure but also on the social, institutional, and ecological capacity to respond and recover. Nature-based and hard engineering solutions must be implemented in tandem, tailored to local contexts, and supported by inclusive community engagement strategies. Furthermore, transparent governance, interdisciplinary collaboration, and accessible knowledge transfer mechanisms are essential to ensure that climate adaptation efforts are effective, equitable, and sustainable. With billions of people living in coastal

zones, the decisions made today will shape the safety, identity, and prosperity of future generations. Only by embracing an integrated, multi-scale approach can coastal communities achieve long-term resilience in the face of a changing climate.

REFERENCES

1. Touza J, Lacambra C, Kiss A, Amboage RM, Sierra P, Solan M, Godbold JA, Spencer T, White PC. Coping and adaptation in response to environmental and climatic stressors in Caribbean coastal communities. *Environmental management*. 2021 Oct;68(4):505–21. [springer.com](https://doi.org/10.1007/s10641-021-01010-1)
2. Jurjonas M, Seekamp E, Rivers III L, Cutts B. Uncovering climate (in) justice with an adaptive capacity assessment: A multiple case study in rural coastal North Carolina. *Land Use Policy*. 2020 May 1;94:104547.
3. Gundersen G, Corbett DR, Long A, Martinez M, Ardón M. Long-term sediment, carbon, and nitrogen accumulation rates in coastal wetlands impacted by sea level rise. *Estuaries and Coasts*. 2021 Dec;44(8):2142–58. [researchgate.net](https://doi.org/10.1007/s12237-021-00910-1)
4. Schuerch M, Kiesel J, Boutron O, Guelmami A, Wolff C, Cramer W, Caiola N, Ibáñez C, Vafeidis AT. Large-scale loss of Mediterranean coastal marshes under rising sea levels by 2100. *Communications Earth & Environment*. 2025 Feb 20;6(1):128. [nature.com](https://doi.org/10.1038/s43247-025-0012-1)
5. Martyr-Koller R, Thomas A, Schleussner CF, Nauels A, Lissner T. Loss and damage implications of sea-level rise on Small Island Developing States. *Current Opinion in Environmental Sustainability*. 2021 Jun 1;50:245–59. [sciencedirect.com](https://doi.org/10.1016/j.coes.2021.05.005)
6. Das A, Swain PK. Navigating the sea level rise: Exploring the interplay of climate change, sea level rise, and coastal communities in india. *Environmental Monitoring and Assessment*. 2024 Nov;196(11):1010.
7. Kulshrestha SK, Kulshrestha SK. Evolution of Megacities and Megacity Regions. *Planning Indian Megacity Regions: Spatial Model, Development Dynamics and Future Advances*. 2022:1–25. [\[HTML\]](#)
8. Mikhaylov AS, Plotnikova AP. The coasts we live in: can there be a single definition for a coastal zone?. *Baltic Region*. 2021;13(4):36–53.
9. Sayers P, Moss C, Carr S, Payo A. Responding to climate change around England's coast-The scale of the transformational challenge. *Ocean & Coastal Management*. 2022 Jun 15;225:106187.
10. Haugen BI, Cramer LA, Waldbusser GG, Conway FD. Resilience and adaptive capacity of Oregon's fishing community: Cumulative impacts of climate change and the graying of the fleet. *Marine Policy*. 2021 Apr 1;126:104424.
11. Hsiao SC, Fu HS, Wu HL, Liang TY, Chang CH, Chen YM, Lin LY, Chen WB. Impact assessment of sea level rise-induced high tide flooding and socioeconomic losses in a highly vulnerable coastal region. *Journal of Hydrology: Regional Studies*. 2024 Oct 1;55:101921. [sciencedirect.com](https://doi.org/10.1016/j.jhrst.2024.101921)
12. Lakshmi V. Enhancing human resilience against climate change: Assessment of hydroclimatic extremes and sea level rise impacts on the Eastern Shore of Virginia, United States. *Science of The Total Environment*. 2024 Oct 15;947:174289.
13. Turner B, Devisscher T, Chabaneix N, Woroniecki S, Messier C, Seddon N. The role of nature-based solutions in supporting social-ecological resilience for climate change adaptation. *Annual Review of Environment and Resources*. 2022 Oct 17;47(1):123–48. [annualreviews.org](https://doi.org/10.1146/annurev-environ-011221-010101)
14. Folkard-Tapp H, Banks-Leite C, Cavan EL. Nature-based Solutions to tackle climate change and restore biodiversity. *Journal of Applied Ecology*. 2021 Nov;58(11):2344–8. [researchgate.net](https://doi.org/10.1111/1365-3113.17777)
15. Todorov M, Todorov M. COMPLEX ENGINEERING DESIGN OF COASTAL PROTECTION. *International Multidisciplinary Scientific GeoConference: SGEM*. 2024;2024(1.1):131–42. [\[HTML\]](#)
16. Klöck C, Duvat VK, Nunn PD. Maladaptive diffusion? The spread of hard protection to adapt to coastal erosion and flooding along island coasts in the Pacific and Indian Ocean. *Regional Environmental Change*. 2022 Dec;22(4):136.
17. Ekechukwu DE, Simpa P. A comprehensive review of renewable energy integration for climate resilience. *Engineering Science & Technology Journal*. 2024;5(6):1884–908. [researchgate.net](https://doi.org/10.1016/j.escet.2024.1884-908)

18. Johnston KA, Taylor M, Ryan B. Evaluation of community engagement for resilience outcomes: A pre-engagement approach. *International Journal of Disaster Risk Reduction*. 2024 Aug 1;110:104613. [usq.edu.au](https://doi.org/10.1016/j.ijdrr.2024.104613)
19. González JE, Ramamurthy P, Bornstein RD, Chen F, Bou-Zeid ER, Ghandehari M, Luvall J, Mitra C, Niyogi D. Urban climate and resiliency: A synthesis report of state of the art and future research directions. *Urban Climate*. 2021 Jul 1;38:100858. [sciencedirect.com](https://doi.org/10.1016/j.urclim.2021.100858)
20. Stanković AM, Tomsovic KL, De Caro F, Braun M, Chow JH, Čukalevski N, Dobson I, Eto J, Fink B, Hachmann C, Hill D. Methods for analysis and quantification of power system resilience. *IEEE Transactions on Power Systems*. 2022 Oct 10;38(5):4774–87. [ieee.org](https://doi.org/10.1109/TPWRS.2022.3188888)
21. Considine C, Covi M, Yusuf JE. Mechanisms for cross-scaling, flexibility and social learning in building resilience to sea level rise: Case study of Hampton Roads, Virginia. *American Journal of Climate Change*. 2017;6(2).
22. Hoagland SW, Jeffries CR, Irish JL, Weiss R, Mandli K, Vitousek S, Johnson CM, Cialone MA. Advances in morphodynamic modeling of coastal barriers: A review. *Journal of Waterway, Port, Coastal, and Ocean Engineering*. 2023 Sep 1;149(5):03123001.
23. Whelchel AW, Reguero BG, van Wesenbeeck B, Renaud FG. Advancing disaster risk reduction through the integration of science, design, and policy into eco-engineering and several global resource management processes. *International journal of disaster risk reduction*. 2018 Dec 1;32:29–41.
24. Nichols CR, Wright LD, Bainbridge SJ, Cosby A, Hénaff A, Loftis JD, Cocquempot L, Katragadda S, Mendez GR, Letortu P, Le Dantec N. Collaborative science to enhance coastal resilience and adaptation. *Frontiers in Marine Science*. 2019 Jul 12;6:404.

CITE AS: Ugwu Chinyere Nneoma, Ogenyi Fabian, Eze Hyginus Valentine, and Ugwu Okechukwu Paul-Chima (2025). Climate Resilience: Engineering Solutions for Coastal Communities. Research Output Journal of Engineering and Scientific Research 4(2): 16–22. <https://doi.org/10.59298/ROJESR/2025/4.2.1622>